



SLEZSKÉ ZEMSKÉ MUZEUM



**INDEX SEMINUM
NOVODVORENSIS
56.**

**ARBORETUM NOVÝ DVŮR
SLEZSKÉ ZEMSKÉ MUZEUM
2017/2018**

INDEX SEMINUM NOVODVORENSIS
56.

2017/2018

ARBORETUM NOVÝ DVŮR



**SLEZSKÉ ZEMSKÉ MUZEUM
ARBORETUM NOVÝ DVŮR
746 01 OPAVA
CZECH REPUBLIC**

**WEB: www.szm.cz
E-MAIL: arboretum@szm.cz
PHONE: +420 553 661 975**

LEADERSHIP:

Mgr. Jana Horáková

Museum Director

Rostislav Šindler

Head of the Nový Dvůr Arboretum

EDITORS:

Ing. Kamila Mücková

Curator

SEED COLLECTORS:

Lenka Konečná

Petr Štelar

Jitka Janošková

Květoslava Pešková

Vladislava Krahulcová

Renáta Rabinská

Lucie Chalupová

GENERAL INFORMATION

Established in: 1958

Geographical location: 17°46'50''E, 49°56'12''N

Altitude: 336–354 m

Area: 23 hectares

CLIMATIC CONDITIONS (OPAVA)

Annual mean temperature (1876–1975): 8,2°C

Annual rainfall (1876–1975): 621 mm

*) In the picture of an introductory page is shown the crown of pine - *Pinus sylvestris* L. (Mücková, February 2017)

HISTORY OF THE NOVÝ DVŮR ARBORETUM

The Nový Dvůr Arboretum is one of the six exhibition premises of the Silesian Museum. It is a botanical garden with a special focus on dendrology, i.e. the study of trees. The arboretum enjoys a special status within the museum, as no other part of the institution administers living exhibits.

The origin of the arboretum are closely linked to the owner of the Nový Dvůr estate, Quido Riedl (1878–1946). During his time in Nový Dvůr (1906–28) Riedl, with exquisite taste, created a natural, landscaped park in a modestly-sized area of 1.8 hectares, and which contained up to 500 tree species and cultivars from both home and abroad. This park became the foundation for the current arboretum and forms the historical section of the dendrological exhibition, which gradually expanded to its current 23 hectares. In 1928 Quido Riedl returned to his native Bílá Lhota, near the town of Litovel, where, on slightly less than 3 hectares of land, he laid out a similarly impressive park, with a rich collection of trees that later became the foundation for the Bílá Lhota Arboretum. Riedl left the Nový Dvůr estate to his daughter, Elisabeth Schubert and son-in-law Walter Schubert, who tended to the park until the end of the Second World War.

In the post-war period the Nový Dvůr estate went through a number of owners, while the park was deprived of expert supervision and became overgrown and neglected.

The situation changed in 1958, when the park – one of the most valuable dendrological sites in Silesia – was given to the Silesian Museum, which set up the arboretum. The historical part of the dendrological exhibition has been preserved in its natural, landscaped form and, apart from the value of the trees as a collection, the park itself is of immense



Quido Riedl, founder of the Nový Dvůr park exhibition, pictured at his native Bílá Lhota near Litovel (1945)

worth due to its design and composition. The basic structure of the park Quido Riedel, founder of the Nový Dvůr park exhibition, pictured at his native Bílá Lhota near Litovel (1945)⁵ consists of fully-grown, solitary or grouped pine trees of the Heraltice ecotype, or vegetation surrounding them, which alternate with grassy open spaces. The compositional design of the park allows views of interesting tree combinations showing contrasting structures, textures, habits, autumn colouration or colour and intensity of blossoming.

The newer parts of the dendrological exhibition are based on a different concept. The overall composition is, here, subordinate to the division of the park into geographical units; under the overall title of 'The Trees of Five Continents', each section contains geographically related species. Between 1967–70 a large greenhouse complex was built over an area of 1,300 m², containing an exhibition of subtropical and tropical plants. This complex was open to visitors for 30 years before it had to be demolished in 2000 due to its poor technical condition. It was replaced with a fully-equipped silvicultural greenhouse, part of which was opened to the public in 2010 in the form of a small greenhouse exhibition.

The new manor house was built in the Neo-Renaissance style by Baron Antonín Luft following his acquisition of the Nový Dvůr estate, and used by Quido Riedl between 1906–28. After 1958, it became the administrative building of the newly established arboretum. The issue of the first *Index Seminum Novodvorensis* has been dated since 1960.



View of Nový Dvůr manor house from years 1914–1920

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

GYMNOSPERMAE

CUPRESSACEAE

1.	<i>Chamaecyparis lawsoniana</i> (A. Murray bis) Parl.	'Golden Wonder'	513/1176
2.	<i>Chamaecyparis lawsoniana</i> (A. Murray bis) Parl.	'Kelleriis Gold'	977/579
3.	<i>Juniperus semiglobosa</i> Regel		87294
4.	<i>Microbiota decussata</i> N.F. Kom.		
5.	<i>Thuja occidentalis</i> L.	'Pendula'	771/274
6.	<i>Thuja plicata</i> Donn ex D. Don	'Aurea'	782/274
7.	<i>Thuja plicata</i> Donn ex D. Don		

PINACEAE

8.	<i>Larix kaempferi</i> (Lamb.) Carriere		1448-94-10
9.	<i>Larix laricina</i> (Du Roi) K.Koch		1433
10.	<i>Picea abies</i> (L.) H.Karst.	'Acrocona'	1542-94-80
11.	<i>Pinus mugo</i> Turra	'Esveld Select'	3088-92-80
12.	<i>Tsuga canadensis</i> (L.) Carr.		
13.	<i>Tsuga canadensis</i> (L.) Carr.	'Pendula'	
14.	<i>Tsuga caroliniana</i> Sarg.		
15.	<i>Tsuga heterophylla</i> (Raf.) Sarg.		0113-91-70

TAXACEAE

16.	<i>Taxus x media</i> Rehder	'Sargentii'	616/1183
17.	<i>Taxus x media</i> Rehder	'Thayerae'	527/1182

TAXODIACEAE

18.	<i>Cryptomeria japonica</i> D.Don		90292
-----	-----------------------------------	--	-------

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***

ANGIOSPERMAE

ACERACEAE

19.	<i>Acer buergerianum</i> Miq.		323/78
20.	<i>Acer campestre</i> L.	'Red Shine'	3373-96-80
21.	<i>Acer ginnala</i> Maxim.		1932-92-10
22.	<i>Acer mandshuricum</i> Maxim.		
23.	<i>Acer micranthum</i> Siebold & Zucc.	'Candelabrum'	3378-96-80
24.	<i>Acer palmatum</i> Thunb.	'Azuma - Murasaki'	1852-93-80

ANACARDIACEAE

25.	<i>Cotinus coggygria</i> Scop.
-----	--------------------------------

AQUIFOLIACEAE

26.	<i>Ilex aquifolium</i> L.	'Fructu Aurantiaca'	2472-96-80
27.	<i>Ilex aquifolium</i> L.	'Pyramidalis'	2489-96-80
28.	<i>Ilex aquifolium</i> L.		
29.	<i>Ilex aquifolium</i> L.		
30.	<i>Ilex aquifolium</i> L.	'Harpune'	2496-96-80
31.	<i>Ilex x meserveae</i> S. Y. Hu	'Blue Stallion'	2453-95-80

ARALIACEAE

32.	<i>Acanthopanax henryi</i> (Oliv.) Harms		
33.	<i>Acanthopanax setchuenensis</i> Harms		1339-96-10
34.	<i>Acanthopanax sieboldianus</i> Makino		87108

BERBERIDACEAE

35.	<i>Berberis amurensis</i> Rupr. var. <i>japonica</i> (Regel) Rehd.	2694-92-10	
36.	<i>Berberis thunbergii</i> DC.	'Atropurpurea'	
37.	<i>Berberis thunbergii</i> DC.		
38.	<i>Berberis vulgaris</i> L.		0166-92-10

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**



Cones of *Tsuga caroliniana* Sarg. (Múcková, January 2018)

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***

BETULACEAE

39.	<i>Alnus cordata</i> (Loisel.) Desf.	2154-93-40
40.	<i>Betula carpatica</i> Waldst. & Kit. ex Willd	0156-04-70
41.	<i>Betula concinna</i> Gunnarsson	1734-92-10
42.	<i>Betula grandifolia</i> Litv.	
43.	<i>Betula humilis</i> Schrank	81/74
44.	<i>Betula chinensis</i> Maxim.	0507-91-10
45.	<i>Betula paishanensis</i> Nakai	0677-91-10
46.	<i>Betula platyphylla</i> Sukaczev var. <i>japonica</i> (Miq.) Hara	
47.	<i>Betula pubescens</i> Ehrh.	0607-92-10
48.	<i>Carpinus shensiensis</i> Hu	3399-96-80

BUXACEAE

49.	<i>Buxus microphylla</i> Siebold & Zucc. 'Curly Locks'	2116-95-80
50.	<i>Buxus microphylla</i> Siebold & Zucc. 'National'	2122-95-80
51.	<i>Buxus microphylla</i> Siebold & Zucc. var. <i>koreana</i> Nakai	3221-94-80
52.	<i>Buxus microphylla</i> Siebold & Zucc. var. <i>sinica</i>	88266
53.	<i>Buxus sempervirens</i> L. 'Tallboy'	2117-95-80
54.	<i>Buxus sempervirens</i> L. 'Aurea'	0875-94-80
55.	<i>Buxus sempervirens</i> L. 'Latifolia Pendula'	2134-95-80
56.	<i>Buxus sempervirens</i> L. 'Bellevillee'	2995-96-80
57.	<i>Buxus sempervirens</i> L. 'Morris Fastigiata'	2120-95-80
58.	<i>Buxus sempervirens</i> L. 'Latifolia Maculata'	2142-95-80
59.	<i>Buxus sempervirens</i> L. 'Hollandia'	2126-95-80
60.	<i>Buxus sempervirens</i> L. 'Henry Shaw'	2141-95-80
61.	<i>Buxus sempervirens</i> L. 'Haller'	2444-95-80

CAPRIFOLIACEAE

62.	<i>Kolkwitzia amabilis</i> Graebn.	3222-94-83
63.	<i>Lonicera alpigena</i> L. var. <i>glehnii</i>	0476-94-10
64.	<i>Lonicera subhispida</i> Nakai	0998-93-70
65.	<i>Lonicera x xylosteoides</i> Tausch	0966-93-70
66.	<i>Sambucus racemosa</i> L. f. <i>aureocarpa</i> Haze	90525

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

67.	<i>Symporicarpos x chenaultii</i> Rehder	0388-95-80
68.	<i>Viburnum erosum</i> Thunb.	90319
69.	<i>Viburnum farreri</i> Stearn	'Candidissimum'
70.	<i>Viburnum lantanoides</i> Michx.	1893-94-80
71.	<i>Viburnum lentago</i> L.	0346-05-70
72.	<i>Viburnum trilobum</i> Marshall	1995
73.	<i>Viburnum wrightii</i> Miq.	0359-05-70
74.	<i>Viburnum x bodnantense</i> Aberc.	1294-94-10
75.	<i>Viburnum x bodnantense</i> Aberc.	'Dawn'
76.	<i>Viburnum x burkwoodii</i> Burkwood & Skipwith	0631-99-80
77.		0469-14-80

CELASTRACEAE

77.	<i>Celastrus orbiculatus</i> Thunb.	
78.	<i>Euonymus alatus</i> (Thunb.) Siebold	0540-14-80
79.	<i>Euonymus europaeus</i> L. var. <i>angustifolius</i> K.F.Schulz	390/80
80.	<i>Euonymus maackii</i> Rupr.	0619-06-10
81.	<i>Euonymus planipes</i> (Koehne) Koehne	509/78
82.	<i>Euonymus sieboldianus</i> Blume	1516-94-40

CORNACEAE

83.	<i>Cornus florida</i> L.	
84.	<i>Cornus mas</i> L.	
85.	<i>Cornus mas</i> L.	'Variegata'
86.	<i>Cornus officinalis</i> Siebold & Zucc.	2511-93-80
		0706-03-70

EBENACEAE

87.	<i>Diospyros virginiana</i> L.
-----	--------------------------------

ERICACEAE

88.	<i>Gaultheria miquelianana</i> Takeda	
89.	<i>Lyonia mariana</i> D.Don	85018
90.	<i>Pieris japonica</i> (Thunb.) D. Don ex G. Don	
91.	<i>Vaccinium corymbosum</i> L.	'Burlington'
		2780-94-80

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

FABACEAE

92.	<i>Caragana arborescens</i> Lam.	'Pendula'	2213-93-80
93.	<i>Caragana arborescens</i> Lam.	'Pendula'	2265-98-80
94.	<i>Caragana mandshurica</i> Kom.		0855-91-40
95.	<i>Genista hispanica</i> L.		87396
96.	<i>Genista hispanica</i> L. subsp. <i>occidentalis</i> Rouy.		0452-97-10
97.	<i>Laburnocytisus adamii</i> (Poit.) Schneid.		2202-96-80

FAGACEAE

98.	<i>Quercus ilicifolia</i> Wangenh.		0332-01-70
99.	<i>Quercus petraea</i> (Mattuschka) Liebl.	'Pungens'	2216-96-80
100.	<i>Quercus robur</i> L.	'Atropurpurea'	

GROSSULARIACEAE

101.	<i>Ribes glaciale</i> Wall.		2550-93-70
102.	<i>Ribes petraeum</i> Wulfen		1790

HAMAMELIDACEAE

103.	<i>Fothergilla major</i> L.		
104.	<i>Hamamelis vernalis</i> Sarg.	'Lombart's Weeping'	
105.	<i>Hamamelis vernalis</i> Sarg.		47/77
106.	<i>Hamamelis virginiana</i> L.		0244-04-10
107.	<i>Hamamelis x intermedia</i> Rehder	'Feuerzauber'	46/82
108.	<i>Hamamelis x intermedia</i> Rehder	'Orange Beauty'	516/78
109.	<i>Hamamelis x intermedia</i> Rehder	'Jelena'	0712-95-80

HIPPOCASTANACEAE

110.	<i>Aesculus parviflora</i> Walter	
------	-----------------------------------	--

HYDRANGEACEAE

111.	<i>Philadelphus microphyllus</i> A. Gray var. <i>sargentii</i>	124/81
112.	<i>Philadelphus x virginalis</i> Rehder	'Schneesturm'

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

HYPERICACEAE

113. *Hypericum calycinum* L. 'Gold Penny' 0695-98-70

JUGLANDACEAE

114. *Juglans nigra* L. 2237-92-50

LAMIACEAE

115. *Callicarpa japonica* Thunb.

LARDIZABALACEAE

116. *Decaisnea fargesii* Franch. 689/80
117. *Sinofranchetia chinensis* (Franch.) Hemsl. 87167

MAGNOLIACEAE

118. *Magnolia grandiflora* L.
119. *Magnolia virginiana* L. 1393
120. *Mahonia nervosa* (Pursh) Nutt. 90432

OLEACEAE

121. *Forsythia togashii* H. Hara 0007-02-70
122. *Ligustrum tschonoskii* Decne. 1385-93-40
123. *Ligustrum tschonoskii* Decne. 'Little Tomas' 0984-98-80
124. *Syringa x chinensis* Willd. var. *pekinensis*

RHAMNACEAE

125. *Rhamnus citrifolius* (West.) Hess & Stearn 1139-92-10

ROSACEAE

126. *Amelanchier bartramiana* (Tausch.) M. Roem. 139/80
127. *Amelanchier bartramiana* (Tausch.) M. Roem. 12/82
128. *Amelanchier humilis* Wiegand 138/80
129. *Cotoneaster adpressus* Bois 'Little Gem' 2538-93-80
130. *Cotoneaster aff. kolaiensis* 0952-97-40

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***



Catalpa bignonioides Walter (Múcková, January 2018)



View on historical building – The founder's residence (Múcková, January 2018)

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

131. <i>Cotoneaster aff. splendens</i> Flinck & B. Hylmö	2106-94-40
132. <i>Cotoneaster allochrous</i> Pojark.	9/80
133. <i>Cotoneaster bradyi</i> E. C. Nelson & J. Fryer	0543-96-40
134. <i>Cotoneaster cochleatus</i> (Franch.) G.Klotz	0344-97-70
135. <i>Cotoneaster glomerulatus</i> W.W.Sm.	0346-97-70
136. <i>Cotoneaster horizontalis</i> Decne.	1641-97-10
137. <i>Cotoneaster kullensis</i> B. Hylmö	2388-96-40
138. <i>Cotoneaster miniatus</i> (Rehd. & Wilson) Flinsk & Hylmö	1159-92-70
139. <i>Cotoneaster ottoschwarzii</i> G.Klotz	0886-95-70
140. <i>Cotoneaster sikangensis</i> Flinck & B. Hylmö	1164-92-40
141. <i>Cotoneaster zabelii</i> C. K. Schneid.	2109-94-40
142. <i>Crataegus calycina</i> Peterm.	0541-94-10
143. <i>Crataegus monogyna</i> Jacq. 'Inermis Compacta'	0216-95-80
144. <i>Crataegus pedicellata</i> Sarg.	1279-93-10
145. <i>Crataegus pedicellata</i> Sarg.	89236
146. <i>Cydonia oblonga</i> Mill.	
147. <i>Exochorda racemosa</i> (Lindl.) Rehder	
148. <i>Holodiscus discolor</i> var. <i>dumosus</i> (Nutt.) Heller	
149. <i>Chaenomeles japonica</i> (Thunb.) Lindl.	0600-06-70
150. <i>Chaenomeles speciosa</i> (Sweet) Nakai 'Brilliant'	3118-96-80
151. <i>Laurocerasus officinalis</i> Roem. 'Mischeana'	2505-96-80
152. <i>Laurocerasus officinalis</i> Roem. 'Schipkaensis Holland'	2508-96-80
153. <i>Malus sargentii</i> Rehder 'Tina'	85267
154. <i>Malus sieboldii</i> (Regel) Rehder	1947-93-10
155. <i>Malus sieboldii</i> (Regel) Rehder 'Wintergold'	3100-92-80
156. <i>Malus sylvestris</i> Mill.	1970-97-10
157. <i>Malus transitoria</i> (Batalin) C. K. Schneid	0507-14-80
158. <i>Malus x adstringens</i> Zabel 'Hopa'	3095-92-80
159. <i>Malus x hybrida</i> 'Royalty'	0505-14-80
160. <i>Malus x moerlandsii</i> Door. 'Profusion'	3097-92-80
161. <i>Malus x platycarpa</i> Rehder 'Pom - Zai'	0511-14-80
162. <i>Malus x purpurea</i> (Barbier) Rehder 'Aldenhamensis'	2032-97-80
163. <i>Malus x purpurea</i> (Barbier) Rehder 'Neville Copeman'	

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***

164. <i>Malus x zumi</i> (Matsum.) Rehder var. <i>calocarpa</i> Rehd.	3102-92-80
165. <i>Mespilus germanica</i> L.	
166. <i>Oemleria cerasiformis</i> Torr. & A. Gray	87150
167. <i>Photinia villosa</i> (Thunb.) DC.	639 CH
168. <i>Physocarpus opulifolius</i> (L.) Maxim 'Dart's Gold'	1933-97-80
169. <i>Physocarpus opulifolius</i> (L.) Maxim	1373-92-10
170. <i>Prunus cerasifera</i> Ehrh. var. <i>divaricata</i> (Ledeb.) Bailey (black fruits)	372
171. <i>Prunus cerasifera</i> Ehrh. var. <i>divaricata</i> (Ledeb.) Bailey (yellow fruits)	371
172. <i>Prunus ssiori</i> F. Schmidt	1388-93-40
173. <i>Prunus virginiana</i> L.	'Shubert'
174. <i>Pyracnatha coccinea</i> (L.) Roem.	'Soleil d'Or'
175. <i>Pyrus salicifolia</i> Pall.	2792-92-80
176. <i>Rosa majalis</i> Herrm.	0558-93-10
177. <i>Rosa rubiginosa</i> L.	0548-92-10
178. <i>Rosa rugosa</i> Thunb.	89174
179. <i>Rosa woodsii</i> Lindl.	0816-93-10
180. <i>Sorbaria sorbifolia</i> (L.) A. Braun	0480-95-10
181. <i>Sorbus acuparia</i> (L.) Scop	'Pink Veil'
182. <i>Sorbus aff. koehneana</i> C. K. Schneid.	0496-14-80
183. <i>Sorbus americana</i> Marshall	2117-94-40
184. <i>Sorbus americana</i> Marshall subsp. <i>japonica</i> Kitamura	1991-93-10
185. <i>Sorbus cashmiriana</i> Hedl.	2036-94-10
186. <i>Sorbus chamaemespilus</i> (L.) Crantz	0716-92-40
187. <i>Sorbus koehneana</i> C. K. Schneid.	88220
188. <i>Sorbus redliana</i> Karp.	71/82
189. <i>Sorbus sambucifolia</i> (Cham.& Schltl.) Roem.	1152-94-40
190. <i>Sorbus subsimilis</i> Hedl.	0839-91-10
191. <i>Spiraea densiflora</i> Nutt & Rydb.	1287-93-10
192. <i>Spiraea japonica</i> L. f.	90725
193. <i>Spiraea japonica</i> L. f.	'Ruberrima'
194. <i>Spiraea japonica</i> L. f.	1819-94-80
	'Atrosanguinea'
	'Gold Flame'
	0385-88-83

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

195. <i>Spiraea japonica</i> L. f.	'Gold Mound'	2620-93-80
196. <i>Spiraea japonica</i> L. f.	'Froebelii'	2349-93-80
197. <i>Spiraea x fontenaysii</i> Lebas		1822-94-80

RUTACEAE

198. <i>Poncirus trifoliata</i> (L.) Raf.

SAPINDACEAE

199. <i>Koelreuteria paniculata</i> Laxm.

STAPHYLEACEAE

200. <i>Staphylea colchica</i> Steven	'Coulombieri'	1249-93-70
201. <i>Staphylea colchica</i> Steven		
202. <i>Staphylea pinnata</i> L.		0047-91-10
203. <i>Staphylea pinnata</i> L.		0048-91-10
204. <i>Staphylea pinnata</i> L.		0530-91-10

THEACEAE

205. <i>Stewartia pseudocamellia</i> Maxim.	90050
206. <i>Stewartia serrata</i> Maxim.	0051-99-70

THYMELAEACEAE

207. <i>Daphne mezereum</i> L.

TILIACEAE

208. <i>Tilia platyphyllos</i> Scop.	'Rubra'	621/80
--------------------------------------	---------	--------

ULMACEAE

209. <i>Hemiptelea davidii</i> (Hance) Planch.	0211-85-10
--	------------

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***



Shrub of *Mahonia aquifolium* (Pursh) Nutt. (Múcková, January 2018)

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**



Group of *Metasequoia glyptostroboides* Hu & W.C.Cheng (Můcková, January 2018)

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***



Detail of *Cryptomeria japonica* D. Don branch with conus (Múcková, January 2018)



Snowy tree of *Cercidiphyllum japonicum* Siebold & Zucc. (Múcková, April 2017)

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**



Pinkish blossoms of *Magnolia x soulangeana* Soul.-Bod. ex Thunb.
(Múcková, April 2017)

AGREEMENT ON THE SUPPLY OF LIVING PLANT MATERIAL¹ FOR NON-COMMERCIAL PURPOSES LEAVING THE INTERNATIONAL PLANT EXCHANGE NETWORK

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD².
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. By using the documentation form, such as provided in Annex 1.3).

I accept the above conditions.

Date, signature

recipient's name and address, stamp

¹According to the CBD „genetic resources“ means genetic material of actual or potential value. This definition covers both living and not living material. The Code of Conduct and the [PEN] covers only the exchange of living plant material (living plants or parts of plants, diaspores) thus falling in the definition of genetic resources.

² ideally, the national focal point in the garden's home country

DESIDERATA 2017/2018

<p>ARBORETUM NOVÝ DVŮR SLEZSKÉ ZEMSKÉ MUZEUM 746 01 OPAVA CZECH REPUBLIC</p> <p><i>E-mail:</i> arboretum@szm.cz <i>Phone:</i> + 420 553 661 975</p>	<p><i>Contact Person, Institute & Your Address:</i></p> <p><i>E-mail:</i> <i>Phone:</i></p>
---	---

In response to the International Convention of Biological Diversity (Rio de Janeiro, 1992), the Nový Dvůr Arboretum supplies the seed collections requested on the condition that:

- 1. They used for common good in the areas of research, trailing, breeding, education and the development of public botanic gardens.*
- 2. If the recipient seeks to commercialise the genetic material, its products or research derived from it, then permission must be sought from the Nový Dvůr Arboretum. Such commercialization will be subject to a separate agreement.*
- 3. The genetic material, its products or research derived from it are not passed to a third party for commercialization without written permission from the Nový Dvůr Arboretum.*

I agree to comply with the conditions above.

Date, Signature:

Stamp:

Your seed order:

*Please, limit your order to **25 numbers** and return this signed form by **31th August 2018**. Warning: We only distribute seeds after receiving this form, signed and filled in, thank you.*

